Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
[]	590	domains and analys\$8 and (safe or unsafe) with (references or sources or target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 14:27
L2	14	1 and (runtime or executi\$5) same virtual near machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 14:35
L3	4	1 and domain near3 (safe or unsafe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 14:35
S1	0	divid\$4 with (instructions or code or program) with domains and analys\$8 and (safe or unsafe) near references	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 16:53
S2	8	divid\$4 same (instructions or code or program) same domains and analys\$8 and (safe or unsafe) with (references or sources or target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 14:27
S3	0	divid\$4 same (instructions or code or program) same domains and analys\$8 and (safe or unsafe) same (references or sources or target) and multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 16:57
S4	2	divid\$4 same (instructions or code or program) same domains and analys\$8 and (safe or unsafe) and multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 16:59
S5	2	divid\$4 same (instructions or code or program) same domains and analys\$8 and (safe or unsafe) and first near processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 10:19
S6	110	divid\$4 same (instructions or code or program) same domains and (safe or unsafe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:00

S7	1	divid\$4 same (instructions or code or program) same domains and (safe or unsafe or untrusted or trusted) near (source or reference or target or processor) and (multi near processor or multiprocessor or first near processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:01
S8	3	divid\$4 same (instructions or code or program) and domains and (safe or unsafe or untrusted or trusted) same (multi near processor or multiprocessor or first near processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:17
S9	233	divid\$4 same (instructions or code or program) and domain and (safe or unsafe or untrusted or trusted) and (multi near processor or multiprocessor or first near processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:18
S10	0	S9 and multiprocessor near safe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:19
S11	2	S9 and multiprocessor same (safe or unsafe or untrusted or trusted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:22
S12	56	S9 and processor same (safe or unsafe or untrusted or trusted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:20
S13	56	S12 and (multiprocessor or multi near processor or first near processor or plural\$6 near processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:20
S14	26	S13 and virtual near machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:48
S15	56	S13 and domains	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:22

S16	2	S13 and domains same (safe or unsafe or untrusted or trusted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:22
S17	2	("6151618").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 17:48
S18	87	divid\$4 same (instructions or code or program) same domains and (safe or unsafe or untrusted or trusted) and initiali\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 10:58
S19	2	("6151618").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:21
S20	11	S18 and make near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 10:54
S21	11	divid\$4 same (instructions or code or program) same domains and (safe or unsafe or untrusted or trusted) and make near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 10:57
S22	11	(divid\$4 or split\$6) same (instructions or code or program) same domain and (safe or unsafe or untrusted or trusted) and make near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 10:59
S23	50	(divid\$4 or split\$6) same (instructions or code or program) same domain and (safe or unsafe or untrusted or trusted) and (make or creat\$3) near3 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 10:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	debug\$6 same (safe or unsafe) and result\$4 near3 (correct or error or incorrect) and source near (code or instruction or program) and object near (code or instruction or program) and executable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:51
S2	4	debug\$6 same (safe or unsafe) and result\$4 same (correct or error or incorrect) and source near (code or instruction or program) and object near (code or instruction or program) and executable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:37
S3	35	debug\$6 same (program or instructions or code) same (correct or error or incorrect) and (list\$3 or generat\$3 or identif\$8) same (unsafe or safe) and source near (code or instruction or program) and object near (code or instruction or program) and executable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:56
S4	141	debug\$6 same (program or instructions or code) same (correct or error or incorrect) and (list\$3 or generat\$3 or identif\$8) same (unsafe or safe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:01
S5	98	S4 and compil\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:57
S6	6	S4 and (717/124.ccls. or 714/38. ccls. or 714/39.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/03/10 16:58
S7	1	debug\$6 same (program or instructions or code) same (correct or error or incorrect) and (unsafe or safe) near3 references	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:03
S8	2	debug\$6 same (program or instructions or code) same (correct or error or incorrect) and (determin\$6 or identif\$7) near3 unsafe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:04

S9	1	debug\$6 same (program or instructions or code) and (correct or error or incorrect) near3 result and (determin\$6 or identif\$7) near3 unsafe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:05
S10	1	debug\$6 same (program or instructions or code) and (correct or error or incorrect) same result and (determin\$6 or identif\$7) near3 unsafe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:05
S11	3	debug\$6 same (program or instructions or code) and (correct or error or incorrect) and (determin\$6 or identif\$7) near3 unsafe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:05
S12	4	debug\$6 same (program or instructions or code) and (correct or error or incorrect or verif\$6 or validat\$6) and (determin\$6 or identif\$7) near3 unsafe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:06
S13	123	(717/124.ccls. or "714"/\$.ccls.) and unsafe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:07
S14	21	S13 and debug\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:29
S16	20	S14 and (correct or incorrect or error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:08
S17	20	S14 and (correct or incorrect or error) S16 and source and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:09
S18	9	S17 and compil\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:09
S19	2	("5644709").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2005/03/11 12:29

4/28/06 2:39:05 PM